

# List of material (60 x 60 model)




C/Ribera del Congost 40-B. 08520 - Les Franqueses del Vallès (BARCELONA).  
 Tel.: +34.93.846.83.23 E-mail: [info@sumescal.com](mailto:info@sumescal.com) <http://www.sumescal.com>

Image	Reference	Description
<b>60x60 (Resistance = 750kg/m<sup>2</sup>, Height profile: 9cm, Feet 60mm x 60mm. Wooden Surface top: 18mm)</b>		
	Platform 2x1 m	Platform 200 x 100 cm. High resistance aluminum profile. Wooden surface top (different designs) always with phenolic wood, W.B.P., 18 mm. Resistance: 750 kg/m <sup>2</sup> Weight: 50 kg.
	Platform 1x1 m	Platform 100 x 100 cm. High resistance aluminum profile. Wooden surface top (different designs) always with phenolic wood, W.B.P., 18 mm. Resistance: 750 kg/m <sup>2</sup> Weight: 27 kg.
	Platform 2x0,5 m	Platform 200 x 50 cm. High resistance aluminum profile. Wooden surface top (different designs) always with phenolic wood, W.B.P., 18 mm. Resistance: 750 kg/m <sup>2</sup> Weight: 29 kg.
	Platform 1x0,5 m	Platform 100 x 50 cm. High resistance aluminum profile. Wooden surface top (different designs) always with phenolic wood, W.B.P., 18 mm. Resistance: 750 kg/m <sup>2</sup> Weight: 16 kg.

# List of material (60 x 60 model)




C/Ribera del Congost 40-B. 08520 - Les Franqueses del Vallès (BARCELONA).  
 Tel.: +34.93.846.83.23 E-mail: [info@sumescal.com](mailto:info@sumescal.com) <http://www.sumescal.com>

Image	Components	Reference	Description
	<ul style="list-style-type: none"> <li>- Square T</li> <li>-Wing screw M-10x30</li> <li>-Screw M-10x35 (2)</li> <li>-Grover Ring (2)</li> <li>-Nut M-10 (2)</li> </ul>	Square Piece	Extruded aluminum. It's the point of assembly of the interchangeable feet.
		Square T 60x60	Metallic piece for adjustment of foot inside the corner piece.
	<ul style="list-style-type: none"> <li>-Rubber Stopper (grey) 60x60.</li> </ul>	Fix Foot	Extruded aluminum. Own profile, non regular. Rubber Stopper at the base. Weight: 1 kg/meter. Standard sizes from 20 to 200 cm each 10 cm.
 	<ul style="list-style-type: none"> <li>- Short thread T (2)</li> <li>-Rubber stopper</li> <li>-Wing nut M-10</li> <li>-Ring M-10 (2)</li> <li>-Nut M-10</li> </ul>	Telescopic Foot	Extensible leg. Extruded aluminum, own profiles (60x60 mm). Rubber at the base for more stability and to avoid damages to the mounting floor. Well proved for outside use to equalize differences in ground heights. Weight: 2,84 kg/meter. Standard sizes (closed at minimum) from 30 to 150 cm each 10 cm.
 		Rubber Stopper 60x60	Rubber stopper for fix and telescopic feet. Grey color.

## List of material (60 x 60 model)



C/Ribera del Congost 40-B. 08520 - Les Franqueses del Vallès (BARCELONA).  
Tel.: +34.93.846.83.23 E-mail: [info@sumescal.com](mailto:info@sumescal.com) <http://www.sumescal.com>

		Short T	Male screw, telescopic feet. White galvanized iron. M-10x26 thread.
		Wing Nut M-10	Ears rounded. White galvanized iron. M-10
		Wing Screw M-10	Ears rounded. White galvanized iron. M-10x30
		Grover Ring	Special washer anti loosening because of vibrations. White galvanized iron. M-10
		Ring	White Galvanized Iron. M-10.
		Nut M-10	White Galvanized Iron. M-10.