



Product Catalog - Accessories



C/Ribera del Congost 40-B. 08520 - Les Franqueses del Vallès (BARCELONA).
 Tel.: +34.93.846.83.23 E-mail: info@sumescal.com <http://www.sumescal.com>

Image	Components	Reference	Description
Accessories (All platform models)			
	-Aluminum profile	Union Piece	Extruded aluminum piece. Unite and level two platforms.
		Extract Hook	Tool designed to extract the connection piece to disassemble the stage. White Galvanized iron.
	- Wing nut -Screw M-10x130 -Ring M-10 -Aluminum profile	Connection Bracket	Piece to join two platforms for low mounting heights where the foot brackets cannot be mounted. Also to reinforce a normal installation.
	- Plastic ferrule 40x20 (4) -Long T (2) -Knob M-10 (2)	Stage Rail - 1m	EU Normative Stage rail 100 cm width and two possible heights 110 and 95 cm. High resistance black plastics in its extremes. Easy installation at the external mounting channel of Sumescal's platforms. White Galvanized iron. Weight: 9 kg.
	- Plastic ferrule 40x20 (4) -Long T (2) -Knob M-10 (2)	Stage Rail - 0,5m	EU Normative Stage rail 50 cm width and two possible heights 110 and 95 cm. With high resistance black plastics in its extremes. Easy installation at the external mounting channel of Sumescal's platforms. White Galvanized iron. Weight: 5,4 kg.
		Plastic ferrule 40x20	Stage Rails accessory. PVC, black color.
	-Ring M-10 (2) -Nut M-10 (2)	Stage Rail's union piece (straight).	Piece that unites two Stage rails on a line. White Galvanized iron.

Product Catalog - Accessories



C/Ribera del Congost 40-B. 08520 - Les Franqueses del Vallès (BARCELONA).
 Tel.: +34.93.846.83.23 E-mail: info@sumescal.com <http://www.sumescal.com>

	<ul style="list-style-type: none"> -Ring M-10 (4) -Nut M-10 (2) -Screw M-10x30 (2) 	<p>Stage Rail's union piece (corner).</p>	<p>Piece that unites two Stage rails on a corner. White Galvanized iron.</p>
	<ul style="list-style-type: none"> -Plastic ferrule 40x40 (4). 	<p>Normal step</p>	<p>Stair's step, for slopes of 40 cm. Reinforced structure made of white galvanized iron. 25 cm tread made in phenolic wood 21 mm thickness. 20 cm rising. They can be joined between them, with telescopic model and with special model. Length: 90 cm, weight: 6,9 kg.</p>
	<ul style="list-style-type: none"> -Plastic Ferrule 40x40 (2). -Rubber stopper (4). 	<p>Telescopic step</p>	<p>Rising adjustable step. Reinforced structure made of white galvanized iron. 25 cm tread made in phenolic wood 21 mm thickness. adjustable height with Aluminum profile. Rubber Stopper at the base. Length: 90 cm, weight: 8,15 kg.</p>
	<ul style="list-style-type: none"> -Plastic Ferrule 40x40 (2). -Rubber stopper (4). 	<p>Special step</p>	<p>Step used in stairs with 5 or more steps, getting an intermediate point of contact with the floor. Completely adjustable to the terrain. Reinforced Structure made of white galvanized iron. 25 cm tread made in phenolic wood 21 mm thickness. Adjustable from 75 cm to 120 cm. With rubber in the bases for more stability. Length: 90 cm, weight: 12,35 kg</p>
		<p>Long T</p>	<p>Accessory to install rails, stairs and other structures on stage. M10x46. White Galvanized iron.</p>
		<p>Knob M-10</p>	<p>Accessory to install rails or stairs on stage. PVC, black color.</p>

Product Catalog - Accessories



C/Ribera del Congost 40-B. 08520 - Les Franqueses del Vallès (BARCELONA).
 Tel.: +34.93.846.83.23 E-mail: info@sumescal.com <http://www.sumescal.com>

	<ul style="list-style-type: none"> -Fix (not swivel) -Swivel -Swivel with brakes 	<p style="text-align: center;">Wheels</p>	<p>Mounting like feet, the platform becomes a perfect trolley. White galvanized iron Structure and nylon wheel. Weight endurance: 250kg/Ut.</p>
	<p style="text-align: center;">112x62x60 cm</p>	<p style="text-align: center;">Cage</p>	<p>Iron cage with wheels. painted in oven, white color. Capacity: 250 kg.</p>
		<p style="text-align: center;">Plinth Piece</p>	<p>Extruded aluminum piece. Easy installation at the external mounting channel of Sumescal's platforms. It supports a 21 mm thickness plinth.</p>